

Medicare Beneficiaries with Nursing Home or Home Health Assessment

Table E.1. Number of Medicare beneficiaries* by chronic condition** and assessment type, 2010–2019

Acute myocardial infarction

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
n	320,861	321,107	316,100	307,987	300,594	310,719	332,733	343,055	342,955	339,957
MDS‡	93,801	95,468	90,047	87,537	84,235	86,706	91,597	93,731	91,876	87,787
OASIS▲	121,892	120,241	115,582	115,048	110,557	115,904	124,435	127,325	125,203	118,629
IRF-PAI#	15,820	16,181	15,854	15,690	15,900	16,804	19,322	20,215	20,495	20,173
Swing Bed^	1,297	1,019	862	814	683	709	618	671	610	628
At least one	169,171	167,917	159,862	157,043	150,874	156,778	166,493	170,585	167,280	158,857

Acquired hypothyroidism

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
n	4,453,322	4,766,709	4,967,954	5,139,650	5,254,191	5,360,084	5,512,717	5,554,478	5,624,636	5,651,288
MDS‡	648,447	713,538	722,398	736,922	740,660	750,565	743,870	730,606	712,307	687,909
OASIS▲	808,862	883,330	896,865	928,893	930,864	958,319	970,628	968,273	956,969	915,365
IRF-PAI#	81,066	92,747	95,029	97,680	97,792	100,680	101,650	101,250	102,446	100,380
Swing Bed^	6,412	5,547	5,151	5,275	4,732	4,569	4,369	4,102	3,820	3,776
At least one	1,203,612	1,310,709	1,326,819	1,363,131	1,364,811	1,389,492	1,391,994	1,379,197	1,357,168	1,304,264

Alzheimer's disease

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
n	1,806,755	1,798,558	1,749,271	1,675,656	1,586,418	1,574,331	1,600,401	1,592,878	1,544,448	1,474,982
MDS‡	792,409	787,573	756,259	725,264	685,238	680,586	680,700	664,873	628,297	585,548
OASIS▲	502,226	506,875	488,219	473,115	448,472	452,666	460,468	456,678	439,644	406,271
IRF-PAI#	29,750	30,739	29,867	28,674	26,797	27,963	28,379	28,058	27,120	25,800
Swing Bed^	3,934	3,089	2,517	2,319	1,951	1,833	1,670	1,609	1,385	1,261
At least one	1,109,156	1,101,904	1,059,613	1,019,925	963,312	958,879	962,419	945,315	900,527	838,139

Alzheimer’s disease, related disorders, or senile dementia

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
n	3,899,435	3,941,428	3,984,515	3,983,798	3,947,946	4,013,690	4,176,617	4,277,058	4,285,218	4,218,595
MDS‡	1,572,323	1,592,394	1,586,427	1,586,282	1,572,973	1,605,306	1,642,996	1,640,842	1,603,683	1,550,290
OASIS▲	1,095,316	1,130,048	1,144,903	1,167,425	1,159,284	1,209,682	1,282,015	1,309,785	1,303,008	1,248,551
IRF-PAI#	88,057	93,087	95,965	97,346	96,864	106,047	123,720	127,187	128,163	124,395
Swing Bed^	9,229	7,392	6,477	6,235	5,662	5,297	5,227	5,123	4,843	4,636
At least one	2,252,969	2,281,502	2,282,894	2,297,481	2,271,828	2,327,116	2,402,671	2,420,005	2,383,942	2,298,438

Anemia

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
n	8,280,064	8,535,895	8,531,955	8,405,529	8,244,539	8,135,610	8,082,165	8,100,078	8,082,701	8,015,345
MDS‡	1,685,751	1,771,381	1,753,951	1,747,160	1,723,156	1,711,414	1,670,734	1,637,179	1,584,307	1,524,188
OASIS▲	2,091,299	2,182,425	2,159,726	2,162,231	2,102,477	2,105,463	2,079,252	2,050,991	2,008,978	1,899,608
IRF-PAI#	239,688	260,146	259,758	259,761	256,841	258,273	254,099	251,601	254,763	245,924
Swing Bed^	16,916	14,008	12,556	12,360	11,079	9,954	9,401	8,891	8,135	7,873
At least one	3,101,250	3,226,750	3,184,681	3,171,180	3,089,115	3,068,521	3,005,032	2,953,489	2,879,484	2,741,855

Asthma

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
n	1,616,036	1,728,917	1,781,396	1,846,100	1,878,398	1,924,078	1,886,267	1,883,638	1,814,688	1,812,962
MDS‡	202,920	234,502	237,231	248,184	252,494	260,433	236,191	223,662	200,313	194,435
OASIS▲	406,133	444,959	449,076	470,570	468,385	478,957	438,136	418,761	378,750	357,758
IRF-PAI#	36,037	42,354	43,636	45,392	45,563	47,358	44,479	42,484	39,825	38,702
Swing Bed^	2,823	2,346	2,135	2,233	1,971	1,857	1,601	1,387	1,174	1,133
At least one	498,969	551,697	555,887	580,195	579,284	592,100	540,246	514,559	464,481	441,803

Atrial fibrillation

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
<i>n</i>	2,667,986	2,756,982	2,812,899	2,863,313	2,900,619	2,955,042	2,970,127	2,982,299	2,983,387	2,965,235
MDS‡	535,407	562,300	571,950	586,041	592,995	608,594	591,777	585,166	570,819	548,180
OASIS [▲]	688,417	711,400	722,171	746,576	748,280	776,320	769,039	767,748	754,670	713,317
IRF-PAI#	80,645	85,026	86,867	90,079	92,028	95,893	95,804	96,562	98,139	95,648
Swing Bed [^]	5,621	4,593	4,304	4,352	3,806	3,659	3,463	3,393	3,092	3,106
At least one	978,171	1,010,409	1,024,048	1,051,879	1,055,832	1,084,607	1,064,220	1,056,767	1,036,017	985,101

Benign prostatic hyperplasia

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
<i>n</i>	1,953,172	2,117,615	2,161,921	2,245,229	2,283,835	2,401,863	2,539,564	2,646,443	2,706,514	2,795,631
MDS‡	225,975	283,568	292,785	306,953	318,227	341,213	351,323	361,402	362,473	362,816
OASIS [▲]	350,475	414,330	424,959	446,688	453,791	483,022	499,569	515,435	516,747	505,355
IRF-PAI#	41,814	53,609	56,091	58,609	61,063	65,429	67,745	69,364	72,394	72,282
Swing Bed [^]	2,588	2,573	2,290	2,423	2,309	2,137	2,056	2,043	1,975	1,979
At least one	472,496	567,543	581,481	608,412	620,742	659,233	679,990	700,208	702,916	694,248

Cancer, Colorectal

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
<i>n</i>	432,095	470,029	463,353	456,196	444,882	442,764	442,393	441,522	437,477	432,047
MDS‡	69,595	84,524	83,060	82,153	79,592	79,196	76,748	74,551	71,678	67,677
OASIS [▲]	104,972	121,279	119,334	118,986	114,454	114,754	113,408	110,572	106,818	99,495
IRF-PAI#	9,286	11,842	11,804	11,821	11,674	11,610	11,630	11,328	11,471	11,200
Swing Bed [^]	976	928	811	797	698	624	599	556	455	489
At least one	141,399	165,215	161,663	159,944	154,184	153,625	150,057	146,232	140,879	132,464

Cancer, Endometrial

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
<i>n</i>	79,837	99,058	103,713	106,632	109,379	114,522	122,925	128,960	133,250	136,623
MDS‡	10,481	17,045	17,576	17,636	18,247	18,652	19,206	19,244	18,975	18,726
OASIS▲	18,027	25,746	26,288	26,689	27,056	28,160	29,422	29,317	29,306	28,150
IRF-PAI#	1,549	2,709	2,832	2,797	2,854	3,048	3,041	3,063	3,186	3,229
Swing Bed^	128	165	166	149	124	130	127	119	101	100
At least one	22,965	33,548	34,319	34,609	35,261	36,303	37,618	37,711	37,536	36,320

Cancer, Female Breast

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
<i>n</i>	936,392	1,015,355	1,036,723	1,052,829	1,061,549	1,083,476	1,110,680	1,131,180	1,148,430	1,161,635
MDS‡	94,638	120,414	120,503	120,404	120,283	121,929	120,093	118,563	115,546	111,438
OASIS▲	154,772	182,068	183,297	186,257	183,672	187,990	188,366	187,983	185,747	175,891
IRF-PAI#	14,367	18,575	18,872	18,942	18,826	19,291	19,016	18,966	19,098	18,762
Swing Bed^	1,050	1,031	973	886	838	809	808	729	686	703
At least one	203,692	243,574	243,841	245,905	242,479	246,469	244,700	243,427	239,515	227,473

Cancer, Lung

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
<i>n</i>	361,804	376,784	380,501	380,295	380,056	385,050	389,677	396,820	401,898	406,829
MDS‡	61,707	66,498	66,968	66,646	66,192	67,564	66,825	66,461	65,017	64,130
OASIS▲	100,822	106,110	106,147	106,918	105,500	107,807	107,426	107,805	106,049	101,168
IRF-PAI#	8,275	9,267	9,447	9,570	9,690	10,128	10,336	10,467	10,705	10,753
Swing Bed^	867	752	647	632	568	528	487	490	434	390
At least one	134,903	141,893	141,569	141,918	140,230	142,526	141,526	141,331	138,825	133,403

Cancer, Prostate

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
<i>n</i>	1,060,483	1,115,777	1,103,056	1,097,946	1,079,262	1,085,625	1,113,284	1,131,985	1,149,224	1,167,241
MDS‡	87,788	103,499	102,569	102,533	101,516	102,491	101,694	101,049	97,691	93,889
OASIS [▲]	141,170	159,784	158,307	160,265	156,532	159,343	160,802	160,586	156,832	146,477
IRF-PAI#	15,447	18,914	19,219	19,369	19,326	19,547	20,010	19,947	20,327	19,793
Swing Bed [^]	1,054	953	843	859	753	652	617	628	584	591
At least one	189,538	215,794	213,119	213,808	209,369	211,275	211,579	210,805	205,547	193,858

Cataract

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
<i>n</i>	6,588,297	6,488,676	6,444,527	6,404,036	6,252,972	6,221,222	6,236,013	6,174,313	6,082,408	5,990,634
MDS‡	480,750	474,355	469,831	461,394	444,575	430,202	422,222	402,635	381,933	376,501
OASIS [▲]	629,241	611,533	589,218	583,987	548,244	546,243	531,983	513,821	485,765	441,021
IRF-PAI#	62,442	62,190	60,419	58,486	56,349	55,476	53,595	51,831	50,317	47,134
Swing Bed [^]	4,359	3,155	2,859	2,691	2,280	2,169	1,950	1,793	1,594	1,527
At least one	952,219	927,536	903,558	891,794	845,283	827,783	809,947	778,251	738,399	694,975

Chronic Kidney Disease

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
<i>n</i>	5,068,353	5,460,864	5,776,871	6,048,702	6,312,072	6,993,454	8,431,176	9,159,520	9,360,944	9,538,759
MDS‡	1,091,322	1,174,079	1,207,210	1,248,177	1,280,230	1,368,333	1,473,295	1,518,440	1,509,111	1,483,936
OASIS [▲]	1,359,433	1,456,358	1,506,057	1,580,771	1,612,452	1,759,217	1,958,229	2,034,832	2,031,091	1,955,863
IRF-PAI#	140,775	154,218	160,792	167,736	174,187	190,432	213,829	220,659	228,357	225,784
Swing Bed [^]	10,954	9,174	8,505	8,856	8,182	7,942	8,193	8,178	7,774	7,679
At least one	1,994,794	2,129,430	2,193,806	2,283,027	2,327,847	2,515,915	2,768,501	2,871,639	2,864,950	2,785,178

Chronic Obstructive Pulmonary Disease

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
<i>n</i>	3,953,527	4,105,506	4,116,360	4,126,317	4,091,151	4,199,435	4,289,016	4,306,463	4,222,932	4,127,934
MDS‡	773,890	830,860	818,952	825,636	810,075	830,774	823,471	817,307	787,768	754,504
OASIS [▲]	1,102,662	1,158,112	1,147,480	1,167,093	1,133,121	1,171,220	1,173,494	1,158,582	1,114,372	1,041,518
IRF-PAI#	102,524	113,299	113,523	115,087	114,082	118,629	118,574	118,397	117,745	113,188
Swing Bed [^]	11,228	9,000	8,126	8,042	7,219	6,781	6,361	5,989	5,400	5,291
At least one	1,534,292	1,614,742	1,592,246	1,608,498	1,563,803	1,605,794	1,601,620	1,583,682	1,525,905	1,441,186

Depression

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
<i>n</i>	4,964,054	5,452,746	5,709,302	5,911,657	6,136,147	6,433,715	6,498,463	6,705,303	6,872,699	6,994,263
MDS‡	1,071,589	1,181,452	1,191,479	1,217,396	1,240,863	1,297,880	1,302,312	1,305,551	1,290,439	1,279,692
OASIS [▲]	1,176,866	1,309,715	1,338,918	1,385,994	1,404,624	1,453,091	1,448,763	1,460,432	1,452,189	1,396,045
IRF-PAI#	122,301	145,823	149,653	153,022	156,435	164,324	172,129	175,425	179,081	175,384
Swing Bed [^]	9,131	7,891	7,264	7,384	6,649	6,120	5,709	5,526	5,154	5,118
At least one	1,844,870	2,033,085	2,061,153	2,117,374	2,145,387	2,222,948	2,213,538	2,226,059	2,210,722	2,157,802

Diabetes

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
<i>n</i>	9,870,371	10,142,376	10,340,027	10,438,985	10,507,855	10,567,268	10,631,280	10,667,991	10,609,975	10,493,681
MDS‡	1,173,761	1,214,145	1,217,604	1,234,150	1,239,667	1,255,758	1,243,698	1,231,643	1,215,403	1,183,705
OASIS [▲]	1,675,115	1,716,953	1,713,666	1,744,827	1,723,168	1,749,084	1,735,718	1,724,846	1,694,164	1,600,978
IRF-PAI#	155,474	163,386	164,866	167,729	169,574	174,051	175,442	176,403	179,607	175,441
Swing Bed [^]	11,299	9,173	8,134	8,252	7,428	6,879	6,624	6,143	5,778	5,625
At least one	2,407,362	2,461,912	2,456,205	2,489,509	2,466,597	2,491,323	2,464,770	2,441,493	2,402,495	2,299,028

Glaucoma

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
<i>n</i>	3,426,189	3,435,616	3,392,916	3,390,168	3,380,860	3,263,182	2,529,087	3,300,907	3,278,402	3,264,979
MDS‡	251,877	251,828	244,192	237,555	233,791	219,302	138,441	211,782	202,870	193,800
OASIS▲	398,666	396,200	380,403	381,038	368,935	355,142	240,448	348,485	337,732	311,462
IRF-PAI#	35,184	35,884	34,882	34,538	34,176	33,201	21,977	31,999	31,647	30,799
Swing Bed^	2,152	1,675	1,535	1,437	1,171	1,129	609	982	862	833
At least one	551,986	547,375	526,147	520,654	505,849	480,683	319,461	467,483	451,549	422,487

Heart Failure

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
<i>n</i>	5,592,955	5,570,190	5,470,609	5,354,792	5,264,902	5,265,931	5,299,838	5,335,238	5,386,957	5,412,873
MDS‡	1,325,813	1,345,528	1,315,846	1,307,380	1,289,182	1,303,706	1,275,649	1,257,522	1,233,835	1,202,616
OASIS▲	1,618,709	1,628,674	1,593,558	1,595,521	1,558,811	1,581,856	1,571,824	1,565,932	1,549,086	1,488,777
IRF-PAI#	149,795	155,294	154,491	155,361	155,800	159,394	160,458	162,438	166,051	163,993
Swing Bed^	14,979	11,578	10,150	10,015	8,855	8,075	7,624	7,281	6,702	6,652
At least one	2,423,512	2,429,991	2,370,504	2,356,700	2,301,540	2,321,175	2,286,271	2,262,388	2,229,801	2,156,857

Hip / Pelvic Fracture

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
<i>n</i>	285,010	283,372	275,872	275,066	275,498	272,054	251,109	257,651	255,933	252,740
MDS‡	208,254	207,613	202,593	203,191	204,051	201,955	182,705	185,416	181,434	175,101
OASIS▲	163,836	164,488	159,284	159,951	160,564	161,244	150,527	154,644	154,127	148,241
IRF-PAI#	52,494	52,105	49,172	47,121	46,602	44,714	40,441	40,489	40,784	38,501
Swing Bed^	2,903	2,290	2,110	2,004	1,708	1,584	1,435	1,429	1,347	1,316
At least one	263,593	261,602	253,215	253,290	253,229	250,421	228,877	233,672	230,379	222,103

Hyperlipidemia

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
n	15,214,399	15,872,300	16,140,833	16,344,694	16,320,253	16,389,099	16,277,496	16,921,565	17,101,490	17,198,553
MDS‡	1,171,088	1,365,502	1,404,856	1,455,535	1,486,912	1,532,886	1,537,893	1,551,881	1,534,366	1,501,494
OASIS▲	2,068,311	2,254,172	2,275,004	2,343,853	2,328,984	2,393,041	2,386,971	2,422,945	2,393,690	2,282,366
IRF-PAI#	216,991	246,668	251,880	259,247	262,811	271,822	272,889	275,949	280,021	274,027
Swing Bed^	12,665	11,567	10,750	11,044	10,123	9,588	9,127	8,990	8,411	8,348
At least one	2,701,777	2,995,259	3,037,134	3,127,978	3,128,632	3,204,968	3,195,027	3,237,767	3,202,213	3,082,389

Hypertension

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
n	19,611,758	19,999,667	20,239,139	20,423,054	20,396,831	20,515,305	20,887,557	20,916,488	20,898,901	20,668,844
MDS‡	2,237,075	2,314,665	2,307,921	2,330,637	2,327,943	2,345,865	2,317,627	2,283,126	2,222,208	2,132,490
OASIS▲	3,241,070	3,298,183	3,265,010	3,325,373	3,269,714	3,320,521	3,306,433	3,269,875	3,191,401	2,975,336
IRF-PAI#	309,167	321,845	324,043	328,690	328,939	336,043	335,416	334,500	337,405	325,552
Swing Bed^	23,478	18,807	16,843	16,836	15,117	14,075	13,268	12,601	11,554	11,191
At least one	4,610,482	4,700,738	4,655,857	4,715,475	4,651,498	4,690,538	4,649,079	4,586,973	4,474,433	4,219,658

Ischemic Heart Disease

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
n	10,857,981	10,818,902	10,730,999	10,545,497	10,363,408	10,259,995	10,257,700	10,265,211	10,238,321	10,181,642
MDS‡	1,486,152	1,519,464	1,509,474	1,502,900	1,484,321	1,493,857	1,470,597	1,451,165	1,410,615	1,355,121
OASIS▲	2,137,548	2,153,561	2,121,809	2,125,593	2,067,131	2,074,755	2,047,640	2,026,648	1,981,263	1,867,711
IRF-PAI#	205,055	213,629	212,564	213,051	211,651	215,605	214,594	215,800	217,367	211,550
Swing Bed^	15,516	12,078	10,754	10,703	9,481	8,871	8,246	7,993	7,250	7,160
At least one	3,015,646	3,037,401	2,993,654	2,983,520	2,907,900	2,910,152	2,864,449	2,827,011	2,756,979	2,618,595

Osteoporosis

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
<i>n</i>	2,346,594	2,406,074	2,284,836	2,202,837	2,167,019	2,198,462	2,211,260	2,271,869	2,334,258	2,430,101
MDS‡	443,157	493,152	466,004	445,853	429,361	425,675	390,887	375,019	355,595	340,444
OASIS [▲]	570,583	613,569	578,366	560,106	539,704	548,224	524,946	522,166	517,488	503,585
IRF-PAI#	65,776	75,830	72,555	69,585	69,815	69,646	63,082	61,097	60,809	59,171
Swing Bed [^]	4,537	3,949	3,361	3,157	2,740	2,446	2,239	2,043	1,785	1,824
At least one	811,131	879,338	826,809	793,992	761,975	762,248	718,102	703,120	684,520	662,266

Rheumatoid Arthritis / Osteoarthritis

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
<i>n</i>	9,887,969	10,264,967	10,607,543	10,819,979	10,987,276	11,306,658	11,865,727	12,204,107	12,315,447	12,397,247
MDS‡	1,316,605	1,395,191	1,423,142	1,432,287	1,432,389	1,467,233	1,472,835	1,454,082	1,408,254	1,354,187
OASIS [▲]	2,012,541	2,108,372	2,134,569	2,172,773	2,148,064	2,200,827	2,245,478	2,245,275	2,196,862	2,071,620
IRF-PAI#	198,559	214,424	218,313	218,817	216,335	221,694	223,958	223,410	224,730	218,856
Swing Bed [^]	15,274	12,835	11,593	11,550	10,535	9,997	9,629	9,065	8,243	8,133
At least one	2,768,825	2,896,485	2,937,047	2,971,639	2,940,255	3,001,537	3,041,320	3,022,652	2,948,956	2,798,180

Stroke / Transient Ischemic Attack

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
<i>n</i>	1,415,137	1,402,101	1,392,214	1,378,285	1,381,474	1,382,807	1,372,189	1,386,888	1,378,486	1,354,914
MDS‡	452,591	444,660	431,972	424,068	421,109	422,582	409,236	406,635	396,011	380,614
OASIS [▲]	448,782	447,763	440,280	442,013	439,687	448,129	443,797	442,900	432,061	404,420
IRF-PAI#	106,432	107,367	106,871	108,429	110,004	112,698	113,479	115,315	114,707	109,310
Swing Bed [^]	3,981	2,988	2,552	2,509	2,225	1,977	1,826	1,759	1,590	1,522
At least one	738,307	725,724	707,232	699,958	694,660	699,246	684,163	682,953	666,557	633,779

All Assessments for Medicare Beneficiaries

Assessment type†	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
<i>n</i>	50,052,744	51,667,138	53,540,264	55,206,238	56,767,788	58,294,195	59,818,481	61,405,844	62,930,784	64,430,729
MDS‡	3,286,093	3,354,207	3,369,900	3,449,229	3,491,527	3,575,610	3,564,288	3,577,941	3,555,334	3,513,392
OASIS▲	4,475,850	4,560,435	4,586,137	4,768,534	4,793,804	4,961,905	4,994,842	5,066,328	5,090,263	4,930,656
IRF-PAI#	383,984	393,020	397,203	404,155	406,374	417,141	415,976	417,876	427,338	421,053
Swing Bed^	28,579	22,674	20,306	20,141	18,286	17,031	16,021	15,133	13,976	13,746
At least one	6,613,113	6,701,504	6,715,202	6,920,055	6,949,432	7,132,067	7,138,831	7,197,138	7,196,090	7,019,063

* Includes all Medicare beneficiaries who were eligible for or enrolled in Medicare on or after January 1, YYYY.

** Chronic conditions have a one- to three-year look-back time period (reference period). Refer to the Chronic Conditions Warehouse (CCW) website for more information, including the algorithms, for these Condition Categories.

† In any given year the CCW team may count a beneficiary in more than one Assessment Type category. The Center for Medicare and Medicaid Services (CMS) team may also count a beneficiary in more than one chronic condition category.

‡ MDS = Minimum Data Set: Assessment data collected by nursing homes.

▲ OASIS = Outcome and Assessment Information Set: Assessment data collected by home health agencies.

IRF-PAI = Inpatient Rehabilitation Facility Patient Assessment Instrument: Assessment data collected by inpatient rehabilitation facilities.

^ Swing bed = Assessment data collected by swing bed facilities.

NOTE: The *n* for each condition category considers fee-for-service (FFS) administrative claims only. The beneficiaries included in these counts may have any combination of Medicare coverage, including full or partial FFS and/or health maintenance organization (HMO) coverage. The application of coverage restrictions/criteria will impact the size of these samples.