

# Chronic Conditions Warehouse

*Your source for national CMS Medicare and Medicaid research data*



**Chronic Conditions Warehouse Virtual Research Data Center**

## Medicare Risk Score Operational Payment Base File Codebook

APRIL 2026 | VERSION 1.0

## Revision Log

Date	Changed by	Revisions	Version
April 2026	K. Schneider	Initial release of codebook	1.0

## Tips on Navigating the Codebook

This document is a detailed codebook that describes each variable in the Medicare Risk Score Operational Payment Base (resolved) research file. Because the file has many variables, we have included several ways for users to quickly find the information they need:

- A complete listing of all variables in the files, in alphabetical order based on their SAS variable names.
- Individual entries for each variable contain a short description of the variable, the possible values for the variable, and, in many cases, notes that discuss how the variable was constructed and should be used.

We have included hyperlinks throughout the codebook to make it easier for analysts to navigate between the table of contents and the detailed entries for the individual variables:

- Clicking on any variable name in the Table of Contents will take you to the detailed description for that variable.
- From the detailed description for any individual variable, clicking on the [^Back to TOC^](#) link after each variable description will take you back to the Table of Contents.

# Table of Contents

This section of the codebook contains a list of all variables in alphabetical order based on the SAS variable name.

**Quick links:**     A [B](#) C D E F G H I J K [L](#) [M](#) N O [P](#) Q [R](#) S T U V W X Y Z

<b>Variable Details</b> .....	<b>7</b>
BENE_DOD .....	7
BENE_ID .....	8
LTI_IND_01 .....	9
LTI_IND_02 .....	9
LTI_IND_03 .....	9
LTI_IND_04 .....	9
LTI_IND_05 .....	9
LTI_IND_06 .....	9
LTI_IND_07 .....	9
LTI_IND_08 .....	9
LTI_IND_09 .....	9
LTI_IND_10 .....	9
LTI_IND_11 .....	9
LTI_IND_12 .....	9
LTI_MDCD_IND.....	10
MODEL_BENE_AGE_GROUP .....	11
MODEL_BENE_DOB .....	12
MODEL_COV_END_DT.....	13
MODEL_COV_START_DT.....	14
MODEL_MDCD_FLG.....	15
MODEL_OREC.....	16
MODEL_SEX.....	17
PTC_BENE_STUS_CD.....	18
PTC_MODEL_SGMT_CD_01 .....	19
PTC_MODEL_SGMT_CD_02 .....	19
PTC_MODEL_SGMT_CD_03 .....	19
PTC_MODEL_SGMT_CD_04 .....	19
PTC_MODEL_SGMT_CD_05 .....	19
PTC_MODEL_SGMT_CD_06 .....	19
PTC_MODEL_SGMT_CD_07 .....	19
PTC_MODEL_SGMT_CD_08 .....	19
PTC_MODEL_SGMT_CD_09 .....	19
PTC_MODEL_SGMT_CD_10 .....	19
PTC_MODEL_SGMT_CD_11 .....	19
PTC_MODEL_SGMT_CD_12 .....	19

PTC_RISK_CAT_CD.....	21
PTC_RISK_SCORE_01.....	22
PTC_RISK_SCORE_02.....	22
PTC_RISK_SCORE_03.....	22
PTC_RISK_SCORE_04.....	22
PTC_RISK_SCORE_05.....	22
PTC_RISK_SCORE_06.....	22
PTC_RISK_SCORE_07.....	22
PTC_RISK_SCORE_08.....	22
PTC_RISK_SCORE_09.....	22
PTC_RISK_SCORE_10.....	22
PTC_RISK_SCORE_11.....	22
PTC_RISK_SCORE_12.....	22
PTC_SCORE_COM_FD.....	23
PTC_SCORE_COM_FD_PACE.....	24
PTC_SCORE_COM_ND.....	25
PTC_SCORE_COM_ND_PACE.....	26
PTC_SCORE_COM_PACE.....	27
PTC_SCORE_COM_PD.....	28
PTC_SCORE_COM_PD_PACE.....	29
PTC_SCORE_COM_TPL_MO_10.....	30
PTC_SCORE_COM_TPL_MO_10_PACE.....	31
PTC_SCORE_COM_TPL_MO_4_9.....	32
PTC_SCORE_COM_TPL_MO_4_9_PACE.....	33
PTC_SCORE_DLYS.....	34
PTC_SCORE_DLYS_PACE.....	35
PTC_SCORE_INSTNL.....	36
PTC_SCORE_INSTNL_PACE.....	37
PTC_SCORE_INSTNL_TPL_MO_10.....	38
PTC_SCORE_INSTNL_TPL_MO_10_PACE.....	39
PTC_SCORE_INSTNL_TPL_MO_4_9.....	40
PTC_SCORE_INSTNL_TPL_MO_4_9_PACE.....	41
PTC_SCORE_NE.....	42
PTC_SCORE_NE_DLYS.....	43
PTC_SCORE_NE_DLYS_PACE.....	44
PTC_SCORE_NE_PACE.....	45
PTC_SCORE_NE_SNP.....	46
PTC_SCORE_NE_TPL_MO_10.....	47
PTC_SCORE_NE_TPL_MO_10_PACE.....	48
PTC_SCORE_NE_TPL_MO_4_9.....	49
PTC_SCORE_NE_TPL_MO_4_9_PACE.....	50
PTC_SCORE_TPL_MO_1.....	51

PTC_SCORE_TPL_MO_1_PACE.....	52
PTC_SCORE_TPL_MO_2_3.....	53
PTC_SCORE_TPL_MO_2_3_PACE.....	54
PTD_MODEL_SGMT_CD_01.....	55
PTD_MODEL_SGMT_CD_02.....	55
PTD_MODEL_SGMT_CD_03.....	55
PTD_MODEL_SGMT_CD_04.....	55
PTD_MODEL_SGMT_CD_05.....	55
PTD_MODEL_SGMT_CD_06.....	55
PTD_MODEL_SGMT_CD_07.....	55
PTD_MODEL_SGMT_CD_08.....	55
PTD_MODEL_SGMT_CD_09.....	55
PTD_MODEL_SGMT_CD_10.....	55
PTD_MODEL_SGMT_CD_11.....	55
PTD_MODEL_SGMT_CD_12.....	55
PTD_RISK_CAT_CD.....	57
PTD_RISK_SCORE_01.....	58
PTD_RISK_SCORE_02.....	58
PTD_RISK_SCORE_03.....	58
PTD_RISK_SCORE_04.....	58
PTD_RISK_SCORE_05.....	58
PTD_RISK_SCORE_06.....	58
PTD_RISK_SCORE_07.....	58
PTD_RISK_SCORE_08.....	58
PTD_RISK_SCORE_09.....	58
PTD_RISK_SCORE_10.....	58
PTD_RISK_SCORE_11.....	58
PTD_RISK_SCORE_12.....	58
PTD_SCORE_CE_COM_LI.....	59
PTD_SCORE_CE_COM_LI_PACE.....	60
PTD_SCORE_CE_COM_NON_LI.....	61
PTD_SCORE_CE_COM_NON_LI_PACE.....	62
PTD_SCORE_CE_INSTNL.....	63
PTD_SCORE_CE_INSTNL_PACE.....	64
PTD_SCORE_NE_COM_LI.....	65
PTD_SCORE_NE_COM_LI_ESRD.....	66
PTD_SCORE_NE_COM_LI_ESRD_PACE.....	67
PTD_SCORE_NE_COM_LI_PACE.....	68
PTD_SCORE_NE_COM_NON_LI.....	69
PTD_SCORE_NE_COM_NON_LI_ESRD.....	70
PTD_SCORE_NE_COM_NON_LI_ESRD_PAC.....	71
PTD_SCORE_NE_COM_NON_LI_PACE.....	72

PTD_SCORE_NE_INSTNL .....	73
PTD_SCORE_NE_INSTNL_ESRD .....	74
PTD_SCORE_NE_INSTNL_ESRD_PACE .....	75
PTD_SCORE_NE_INSTNL_PACE .....	76
RFRNC_YR.....	77

## Variable Details

This section of the codebook contains one entry for each variable in the Medicare Risk Score Operational Payment Base (resolved) research file. Each entry contains variable details to facilitate understanding and use of the variables.

### **BENE\_DOD**

**LABEL:** Beneficiary Death Date

**DESCRIPTION:** Beneficiary death date (if it occurred during the payment year).

**LONG NAME:** BENE\_DOD

**TYPE:** DATE

**LENGTH:** 8

**SOURCE:** CMS risk adjustment file

**VALUES:** Date in CCYYMMDD format  
Example: 20191231 (for December 31, 2019)

**COMMENT:** —

[^ Back to TOC ^](#)

## BENE\_ID

**LABEL:** Encrypted CCW Beneficiary ID

**DESCRIPTION:** The unique CCW identifier for a beneficiary. The CCW assigns a unique beneficiary identification number to everyone who receives Medicare and/or Medicaid and uses that number to identify an individual's records in all CCW data files (e.g., Medicare claims, Medicaid [MAX or T-MSIS] claims, assessment data [e.g., MDS, OASIS]). This number does not change during a beneficiary's lifetime and each number is used only once. The BENE\_ID is specific to the CCW and is not applicable to any other identification system or data source.

**LONG NAME:** BENE\_ID

**TYPE:** CHAR

**LENGTH:** 15

**SOURCE:** CCW (derived)

**VALUES:** —

**COMMENT:** —

[^ Back to TOC ^](#)

LTI\_IND\_01

LTI\_IND\_07

LTI\_IND\_02

LTI\_IND\_08

LTI\_IND\_03

LTI\_IND\_09

LTI\_IND\_04

LTI\_IND\_10

LTI\_IND\_05

LTI\_IND\_11

LTI\_IND\_06

LTI\_IND\_12

**LABEL:** Monthly Long-Term Institutional Indicator: January–December

**DESCRIPTION:** Long-term institutional flag for January through December.

**LONG NAME:**

LTI\_IND\_01

LTI\_IND\_07

LTI\_IND\_02

LTI\_IND\_08

LTI\_IND\_03

LTI\_IND\_09

LTI\_IND\_04

LTI\_IND\_10

LTI\_IND\_05

LTI\_IND\_11

LTI\_IND\_06

LTI\_IND\_12

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** CMS risk adjustment file

**VALUES:** 1 = Long-term institutional  
Null/missing = not LTI

**COMMENT:** There are 12 monthly variables — where the 01 through 12 at the end of the variable name correspond with the month (e.g., 01 is January and 12 is December).

[^ Back to TOC ^](#)

## LTI\_MDCD\_IND

**LABEL:** Long-Term Institutional Medicaid Enrolled Indicator (model)

**DESCRIPTION:** Medicaid Enrollment status.

**LONG NAME:** LTI\_MDCD\_IND

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** CMS risk adjustment file

**VALUES:** Y = Medicaid during the payment year.  
Null/missing = not Medicaid during the payment year

**COMMENT:** Input variable into the Institutional model segment

[^ Back to TOC ^](#)

## MODEL\_BENE\_AGE\_GROUP

<b>LABEL:</b>	Beneficiary Reporting Age Bracket (model)
<b>DESCRIPTION:</b>	Beneficiary model reporting age bracket.
<b>LONG NAME:</b>	MODEL_BENE_AGE_GROUP
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	5
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	0034 — less than or equal age 34 3544 — between the age of 35 and 44, inclusive 4554 — between the age of 45 and 54, inclusive 5559 — between the age of 55 and 59, inclusive 6064 — between the age of 60 and 64, inclusive 6565 — age 65, for new enrollee (NE) benes only 6666 — age 66, for NE benes only 6767 — age 67, for NE benes only 6868 — age 68, for NE benes only 6969 — age 69, for NE benes only 6569 — between the age of 65 and 69, inclusive, for full-risk benes only 7074 — between the age of 70 and 74, inclusive 7579 — between the age of 75 and 79, inclusive 8084 — between the age of 80 and 84, inclusive 8589 — between the age of 85 and 89, inclusive 9094 — between the age of 90 and 94, inclusive 9599 — greater than or equal age 95
<b>COMMENT:</b>	—

[^ Back to TOC ^](#)

## MODEL\_BENE\_DOB

**LABEL:** Date of Birth (model)

**DESCRIPTION:** Beneficiary's date of birth.

**LONG NAME:** MODEL\_BENE\_DOB

**TYPE:** DATE

**LENGTH:** 8

**SOURCE:** CMS risk adjustment file

**VALUES:** Date in CCYYMMDD format  
Examples: 19450411 (for April 11, 1945)

**COMMENT:** —

[^ Back to TOC ^](#)

## MODEL\_COV\_END\_DT

**LABEL:** Coverage End Date (model)

**DESCRIPTION:** End date for Medicare coverage (if it occurred during the payment year).

**LONG NAME:** MODEL\_COV\_END\_DT

**TYPE:** DATE

**LENGTH:** 8

**SOURCE:** CMS risk adjustment file

**VALUES:** Date in CCYYMMDD format  
Example: 20191231 (for December 31, 2019)

**COMMENT:** —

[^ Back to TOC ^](#)

## **MODEL\_COV\_START\_DT**

**LABEL:** Coverage Start Date (model)

**DESCRIPTION:** Start date for Medicare coverage (if it occurred during the payment year).

**LONG NAME:** MODEL\_COV\_START\_DT

**TYPE:** DATE

**LENGTH:** 8

**SOURCE:** CMS risk adjustment file

**VALUES:** Date in CCYYMMDD format  
Example: 20190101 (for January 1, 2019)

**COMMENT:** —

[^ Back to TOC ^](#)

## MODEL\_MDCCD\_FLG

**LABEL:** Medicaid Flag (model)

**DESCRIPTION:** Medicaid flag.

**LONG NAME:** MODEL\_MDCCD\_FLG

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** CMS risk adjustment file

**VALUES:** Y = Medicaid Status Applicable to CMS V21 (PACE and ESRD) Risk Adjustment Factors, effective payment year 2017  
Null/missing = not Medicaid

**COMMENT:** —

[^ Back to TOC ^](#)

## MODEL\_OREC

**LABEL:** Original Reason for Entitlement Code (model)

**DESCRIPTION:** Original reason for Medicare entitlement code.

**LONG NAME:** MODEL\_OREC

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** CMS risk adjustment file

**VALUES:** 0 = old age and survivors' insurance (OASI)  
1 = disability insurance benefits (DIB)  
2 = end stage renal disease (ESRD)  
3 = both DIB and ESRD  
9 = none of the above

**COMMENT:** —

[^ Back to TOC ^](#)

## MODEL\_SEX

**LABEL:** Sex (model)  
**DESCRIPTION:** Sex.  
**LONG NAME:** MODEL\_SEX  
**TYPE:** CHAR  
**LENGTH:** 1  
**SOURCE:** CMS risk adjustment file  
**VALUES:** 0 = Unknown  
1 = Male  
2 = Female  
**COMMENT:** —

[^ Back to TOC ^](#)

## PTC\_BENE\_STUS\_CD

**LABEL:** Part C Community Beneficiary Status Code (model)

**DESCRIPTION:** Part C Community Beneficiary Status Code (model).

**LONG NAME:** PTC\_BENE\_STUS\_CD

**TYPE:** CHAR

**LENGTH:** 1

**SOURCE:** CMS risk adjustment file

**VALUES:** A = Aged  
D = Disabled

**COMMENT:** Status is based on February 1 of the payment year.

[^ Back to TOC ^](#)

PTC\_MODEL\_SGMT\_CD\_01

PTC\_MODEL\_SGMT\_CD\_07

PTC\_MODEL\_SGMT\_CD\_02

PTC\_MODEL\_SGMT\_CD\_08

PTC\_MODEL\_SGMT\_CD\_03

PTC\_MODEL\_SGMT\_CD\_09

PTC\_MODEL\_SGMT\_CD\_04

PTC\_MODEL\_SGMT\_CD\_10

PTC\_MODEL\_SGMT\_CD\_05

PTC\_MODEL\_SGMT\_CD\_11

PTC\_MODEL\_SGMT\_CD\_06

PTC\_MODEL\_SGMT\_CD\_12

**LABEL:** Monthly Part C Model Segment Code: January–December

**DESCRIPTION:** January through December Part C resolved risk score model segment. This is the Part C risk score model segment used to calculate the resolved risk score for a given month.

**LONG NAME:**

PTC\_MODEL\_SGMT\_CD\_01

PTC\_MODEL\_SGMT\_CD\_07

PTC\_MODEL\_SGMT\_CD\_02

PTC\_MODEL\_SGMT\_CD\_08

PTC\_MODEL\_SGMT\_CD\_03

PTC\_MODEL\_SGMT\_CD\_09

PTC\_MODEL\_SGMT\_CD\_04

PTC\_MODEL\_SGMT\_CD\_10

PTC\_MODEL\_SGMT\_CD\_05

PTC\_MODEL\_SGMT\_CD\_11

PTC\_MODEL\_SGMT\_CD\_06

PTC\_MODEL\_SGMT\_CD\_12

**TYPE:** CHAR

**LENGTH:** 2

**SOURCE:** CMS risk adjustment file

**VALUES:** C = Community (Adjustments before 2017; Program of All-inclusive Care for the Elderly (PACE) only beginning 1/2017 and ending 12/2019)  
C1 = Community Post-Graft 4-9 (End-Stage Renal Disease [ESRD]) (Applicable to payments before 2023)  
C2 = Community Post-Graft 10+ (ESRD) (Applicable to payments before 2023)  
CF = Community Full Dual  
CN = Community Non-Dual  
CP = Community Partial Dual  
D = Dialysis (ESRD) (Applicable to payments before 2023)  
E = New Enrollee  
ED = New Enrollee Dialysis (ESRD)  
E1 = New Enrollee Post-Graft 4-9 (ESRD)  
E2 = New Enrollee Post-Graft 10+ (ESRD)  
G1 = Graft I (ESRD)  
G2 = Graft II (ESRD)  
I = Institutional  
I1 = Institutional Post-Graft 4-9 (ESRD) (Applicable to payments before 2023)

I2 = Institutional Post-Graft 10+ (ESRD) (Applicable to payments before 2023)  
PA = PACE Dialysis Factor  
PB = PACE New Enrollee Dialysis Factor  
PC = PACE Community Post Graft 4-9  
PD = PACE Institutional Post Graft 4-9  
PE = PACE New Enrollee Post Graft 4-9  
PF = PACE Community Post Graft 10+  
PG = PACE Institutional Post Graft 10+  
PH = PACE New Enrollee Post Graft 10+  
PI = PACE Community Full Dual (Applicable to payments after 2019)  
PJ = PACE Community Partial Dual (Applicable to payments after 2019)  
PK = PACE Community Non-Dual (Applicable to payments after 2019)  
PL = PACE Graft I (Applicable to payments after 2019)  
PM = PACE Graft II (start Applicable to payments after 2019)  
SE = New Enrollee Chronic Care Special Needs Plan (SNP)  
Null/missing = Beneficiary did not have Medicare Part A Entitlement and did not have Part B Enrollment for the month

**COMMENT:** There are 12 monthly variables — where the 01 through 12 at the end of the variable name corresponds with the month (e.g., 01 is January and 12 is December).

The corresponding consolidated risk score model used in payment calculation for the month is in the monthly PTC\_RISK\_SCORE\_MM variable (where the 01 through 12 at the end of the variable name corresponds with the month).

[^ Back to TOC ^](#)

## PTC\_RISK\_CAT\_CD

<b>LABEL:</b>	Part C Risk Category Code
<b>DESCRIPTION:</b>	Part C risk enrollment category code. This code indicates the enrollment status of the beneficiary during the data collection period and therefore, which risk models are applicable to that beneficiary.
<b>LONG NAME:</b>	PTC_RISK_CAT_CD
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	N = Beneficiary has < 12 months Part A and < 12 months Part B, new enrollee beneficiary with < 12 months Part A C = Beneficiary has 12 months Part B, full-risk beneficiary P = Beneficiary has < 12 months Part B and 12 months Part A, new enrollee beneficiary with 12 months Part A
<b>COMMENT:</b>	The data collection period is the year prior to the payment year (e.g., 2019 for the 2020 payment year).

[^ Back to TOC ^](#)

[PTC\\_RISK\\_SCORE\\_01](#)

[PTC\\_RISK\\_SCORE\\_07](#)

[PTC\\_RISK\\_SCORE\\_02](#)

[PTC\\_RISK\\_SCORE\\_08](#)

[PTC\\_RISK\\_SCORE\\_03](#)

[PTC\\_RISK\\_SCORE\\_09](#)

[PTC\\_RISK\\_SCORE\\_04](#)

[PTC\\_RISK\\_SCORE\\_10](#)

[PTC\\_RISK\\_SCORE\\_05](#)

[PTC\\_RISK\\_SCORE\\_11](#)

[PTC\\_RISK\\_SCORE\\_06](#)

[PTC\\_RISK\\_SCORE\\_12](#)

**LABEL:** Monthly Part C Risk Score: January–December

**DESCRIPTION:** January through December Part C resolved risk score. This field contains the consolidated risk score used in payment calculation for that month.

**LONG NAME:**

PTC\_RISK\_SCORE\_01

PTC\_RISK\_SCORE\_07

PTC\_RISK\_SCORE\_02

PTC\_RISK\_SCORE\_08

PTC\_RISK\_SCORE\_03

PTC\_RISK\_SCORE\_09

PTC\_RISK\_SCORE\_04

PTC\_RISK\_SCORE\_10

PTC\_RISK\_SCORE\_05

PTC\_RISK\_SCORE\_11

PTC\_RISK\_SCORE\_06

PTC\_RISK\_SCORE\_12

**TYPE:** NUM

**LENGTH:** 7.4

**SOURCE:** CMS risk adjustment file

**VALUES:** Values between 00.0010 and 99.9990  
Null/missing = Beneficiary did not have Medicare Part A Entitlement and did not have Part B Enrollment for the month

**COMMENT:** There are 12 monthly variables — where the 01 through 12 at the end of the variable name corresponds with the month (e.g., 01 is January and 12 is December).

Beneficiaries with scores above 1.0 are expected to have above-average spending, while beneficiaries with scores below 1.0 are expected to have below-average spending (and proportionally so — for example, a beneficiary with a score of 2.0 is expected to cost twice the average).

The risk score model segment used to calculate the risk score for given month is identified using the corresponding monthly model segment code indicator (PTC\_MODEL\_SGMT\_CD\_MM), where the 01 through 12 at the end of the variable name corresponds with the month.

[^ Back to TOC ^](#)

## PTC\_SCORE\_COM\_FD

<b>LABEL:</b>	Part C Full Dual Community Model Score
<b>DESCRIPTION:</b>	Part C community factor full benefit dual (FD).
<b>LONG NAME:</b>	PTC_SCORE_COM_FD
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals C or P (12 months of Part A Entitlement and/or 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTC\_SCORE\_COM\_FD\_PACE

<b>LABEL:</b>	Part C Full Dual Community Model Score for PACE Organizations
<b>DESCRIPTION:</b>	Part C community factor full benefit dual (FD) for beneficiaries enrolled in PACE Organizations.
<b>LONG NAME:</b>	PTC_SCORE_COM_FD_PACE
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals C or P (12 months of Part A Entitlement and/or 12 months of Part B Enrollment during the data collection year).  Applicable to payments starting in 2020.

[^ Back to TOC ^](#)

## PTC\_SCORE\_COM\_ND

<b>LABEL:</b>	Part C Non-Dual Community Model Score
<b>DESCRIPTION:</b>	Part C community factor non-dual (ND).
<b>LONG NAME:</b>	PTC_SCORE_COM_ND
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals C or P (12 months of Part A Entitlement and/or 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTC\_SCORE\_COM\_ND\_PACE

<b>LABEL:</b>	Part C Non-Dual Community Model Score for PACE Organizations
<b>DESCRIPTION:</b>	Part C community factor non-dual (ND) for beneficiaries enrolled in PACE Organizations.
<b>LONG NAME:</b>	PTC_SCORE_COM_ND_PACE
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals C or P (12 months of Part A Entitlement and/or 12 months of Part B Enrollment during the data collection year).  Applicable to payments starting in 2020.

[^ Back to TOC ^](#)

## PTC\_SCORE\_COM\_PACE

<b>LABEL:</b>	Part C Community Model Score for PACE Organizations
<b>DESCRIPTION:</b>	Part C community factor for beneficiaries enrolled in PACE Organizations.
<b>LONG NAME:</b>	PTC_SCORE_COM_PACE
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals C or P (12 months of Part A Entitlement and/or 12 months of Part B Enrollment during the data collection year).  Not applicable to payments after 2019.

[^ Back to TOC ^](#)

## PTC\_SCORE\_COM\_PD

<b>LABEL:</b>	Part C Partial Dual Community Model Score
<b>DESCRIPTION:</b>	Part C community factor partial benefit dual (PD).
<b>LONG NAME:</b>	PTC_SCORE_COM_PD
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals C or P (12 months of Part A Entitlement and/or 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTC\_SCORE\_COM\_PD\_PACE

<b>LABEL:</b>	Part C Partial Dual Community Model Score for PACE Organizations
<b>DESCRIPTION:</b>	Part C community factor partial benefit dual (PD) for beneficiaries enrolled in PACE organization.
<b>LONG NAME:</b>	PTC_SCORE_COM_PD_PACE
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals C or P (12 months of Part A Entitlement and/or 12 months of Part B Enrollment during the data collection year).  Applicable to payments starting in 2020.

[^ Back to TOC ^](#)

## PTC\_SCORE\_COM\_TPL\_MO\_10

<b>LABEL:</b>	Part C Community Post-Transplant 10+ Months Model Score
<b>DESCRIPTION:</b>	Part C community post-transplant factor 10+ months.
<b>LONG NAME:</b>	PTC_SCORE_COM_TPL_MO_10
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals C or P (12 months of Part A Entitlement and/or 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## **PTC\_SCORE\_COM\_TPL\_MO\_10\_PACE**

<b>LABEL:</b>	Part C Community Post-Transplant 10+ Months Model Score for PACE Organizations
<b>DESCRIPTION:</b>	Part C community post-transplant factor 10+ months for beneficiaries enrolled in PACE Organizations.
<b>LONG NAME:</b>	PTC_SCORE_COM_TPL_MO_10_PACE
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals C or P (12 months of Part A Entitlement and/or 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTC\_SCORE\_COM\_TPL\_MO\_4\_9

<b>LABEL:</b>	Part C Community Post-Transplant 4–9 Months Model Score
<b>DESCRIPTION:</b>	Part C community post-transplant factor 4–9 Months.
<b>LONG NAME:</b>	PTC_SCORE_COM_TPL_MO_4_9
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals C or P (12 months of Part A Entitlement and/or 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTC\_SCORE\_COM\_TPL\_MO\_4\_9\_PACE

<b>LABEL:</b>	Part C Community Post-Transplant 4-9 Months Model Score for PACE Organizations
<b>DESCRIPTION:</b>	Part C community post-transplant factor 4–9 Months for beneficiaries enrolled in PACE Organizations.
<b>LONG NAME:</b>	PTC_SCORE_COM_TPL_MO_4_9_PACE
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals C or P (12 months of Part A Entitlement and/or 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTC\_SCORE\_DLYS

<b>LABEL:</b>	Part C Dialysis Model Score
<b>DESCRIPTION:</b>	Part C dialysis factor.
<b>LONG NAME:</b>	PTC_SCORE_DLYS
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals C or P (12 months of Part A Entitlement and/or 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTC\_SCORE\_DLYS\_PACE

<b>LABEL:</b>	Part C Dialysis Model Score for PACE Organizations
<b>DESCRIPTION:</b>	Part C dialysis factor for beneficiaries enrolled in PACE Organizations.
<b>LONG NAME:</b>	PTC_SCORE_DLYS_PACE
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals C or P (12 months of Part A Entitlement and/or 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTC\_SCORE\_INSTNL

<b>LABEL:</b>	Part C Institutional Model Score
<b>DESCRIPTION:</b>	Part C institutional factor.
<b>LONG NAME:</b>	PTC_SCORE_INSTNL
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals C or P (12 months of Part A Entitlement and/or 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTC\_SCORE\_INSTNL\_PACE

<b>LABEL:</b>	Part C Institutional Model Score for PACE Organizations
<b>DESCRIPTION:</b>	Part C institutional factor for beneficiaries enrolled in PACE Organizations.
<b>LONG NAME:</b>	PTC_SCORE_INSTNL_PACE
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals C or P (12 months of Part A Entitlement and/or 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTC\_SCORE\_INSTNL\_TPL\_MO\_10

<b>LABEL:</b>	Part C Institutional Post-Transplant 10+ Months Model Score
<b>DESCRIPTION:</b>	Part C institutional post-transplant factor 10+ months.
<b>LONG NAME:</b>	PTC_SCORE_INSTNL_TPL_MO_10
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals C or P (12 months of Part A Entitlement and/or 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTC\_SCORE\_INSTNL\_TPL\_MO\_10\_PACE

<b>LABEL:</b>	Part C Institutional Post-Transplant 10+ Months Model Score for PACE Organizatns
<b>DESCRIPTION:</b>	Part C institutional post-transplant factor 10+ months for beneficiaries enrolled in PACE Organizations.
<b>LONG NAME:</b>	PTC_SCORE_INSTNL_TPL_MO_10_PACE
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing =Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals C or P (12 months of Part A Entitlement and/or 12 months of Part B Enrollment during the data collection year).  Applicable to payments starting in 2020.

[^ Back to TOC ^](#)

## PTC\_SCORE\_INSTNL\_TPL\_MO\_4\_9

<b>LABEL:</b>	Part C Institutional Post-Transplant 4–9 Months Model Score
<b>DESCRIPTION:</b>	Part C institutional post-transplant factor 4–9 months.
<b>LONG NAME:</b>	PTC_SCORE_INSTNL_TPL_MO_4_9
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing =Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals C or P (12 months of Part A Entitlement and/or 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTC\_SCORE\_INSTNL\_TPL\_MO\_4\_9\_PACE

<b>LABEL:</b>	Part C Institutional Post-Transplant 4–9 Months Model Score for PACE Organizatns
<b>DESCRIPTION:</b>	Part C institutional post-transplant factor 4–9 months for beneficiaries enrolled in PACE Organizations.
<b>LONG NAME:</b>	PTC_SCORE_INSTNL_TPL_MO_4_9_PACE
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing =Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals C or P (12 months of Part A Entitlement and/or 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTC\_SCORE\_NE

<b>LABEL:</b>	Part C New Enrollee Model Score
<b>DESCRIPTION:</b>	Part C new enrollee factor.
<b>LONG NAME:</b>	PTC_SCORE_NE
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals N (less than 12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year) or P (12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTC\_SCORE\_NE\_DLYS

<b>LABEL:</b>	Part C New Enrollee Dialysis Model Score
<b>DESCRIPTION:</b>	Part C new enrollee dialysis factor.
<b>LONG NAME:</b>	PTC_SCORE_NE_DLYS
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals N (less than 12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year) or P (12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTC\_SCORE\_NE\_DLYS\_PACE

<b>LABEL:</b>	Part C New Enrollee Dialysis Model Score for PACE Organizations
<b>DESCRIPTION:</b>	Part C new enrollee dialysis factor for beneficiaries enrolled in PACE Organizations.
<b>LONG NAME:</b>	PTC_SCORE_NE_DLYS_PACE
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals N (less than 12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year) or P (12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTC\_SCORE\_NE\_PACE

<b>LABEL:</b>	Part C New Enrollee Model Score for PACE Organizations
<b>DESCRIPTION:</b>	Part C new enrollee factor for beneficiaries enrolled in PACE Organizations.
<b>LONG NAME:</b>	PTC_SCORE_NE_PACE
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing =Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals N (less than 12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year) or P (12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTC\_SCORE\_NE\_SNP

<b>LABEL:</b>	Part C New Enrollee Chronic Condition Special Needs Plan (SNP) Model Score
<b>DESCRIPTION:</b>	Part C new enrollee chronic condition SNP factor.
<b>LONG NAME:</b>	PTC_SCORE_NE_SNP
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals N (less than 12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year) or P (12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTC\_SCORE\_NE\_TPL\_MO\_10

<b>LABEL:</b>	Part C New Enrollee Post-Transplant 10+ Months Model Score
<b>DESCRIPTION:</b>	Part C new enrollee post-transplant factor 10+ months.
<b>LONG NAME:</b>	PTC_SCORE_NE_TPL_MO_10
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals N (less than 12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year) or P (12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTC\_SCORE\_NE\_TPL\_MO\_10\_PACE

<b>LABEL:</b>	Part C New Enrollee Post-Transplant 10+ Months Model Score for PACE Organizatns
<b>DESCRIPTION:</b>	Part C new enrollee post-transplant factor 10+ months for beneficiaries enrolled in PACE Organizations.
<b>LONG NAME:</b>	PTC_SCORE_NE_TPL_MO_10_PACE
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals N (less than 12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year) or P (12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year).  Applicable to payments starting in 2020.

[^ Back to TOC ^](#)

## PTC\_SCORE\_NE\_TPL\_MO\_4\_9

<b>LABEL:</b>	Part C New Enrollee Post-Transplant 4–9 Months Model Score
<b>DESCRIPTION:</b>	Part C new enrollee post-transplant factor 4–9 months.
<b>LONG NAME:</b>	PTC_SCORE_NE_TPL_MO_4_9
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals N (less than 12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year) or P (12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTC\_SCORE\_NE\_TPL\_MO\_4\_9\_PACE

<b>LABEL:</b>	Part C New Enrollee Post-Transplant 4–9 Months Model Score for PACE Organizatns
<b>DESCRIPTION:</b>	Part C new enrollee post-transplant factor 4–9 months for beneficiaries enrolled in PACE Organizations.
<b>LONG NAME:</b>	PTC_SCORE_NE_TPL_MO_4_9_PACE
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing =Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part C risk category indicator (PTC_RISK_CAT_CD) equals N (less than 12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year) or P (12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTC\_SCORE\_TPL\_MO\_1

**LABEL:** Part C Transplant — Month 1 Model Score

**DESCRIPTION:** Part C transplant factor one month.

**LONG NAME:** PTC\_SCORE\_TPL\_MO\_1

**TYPE:** NUM

**LENGTH:** 7.4

**SOURCE:** CMS risk adjustment file

**VALUES:** Values between 00.0010 and 99.9990  
Null/missing =Not applicable (this model was not run for the beneficiary)

**COMMENT:** –

[^ Back to TOC ^](#)

## PTC\_SCORE\_TPL\_MO\_1\_PACE

**LABEL:** Part C Transplant — Month 1 Model Score for PACE Organizations

**DESCRIPTION:** Part C transplant factor one month for beneficiaries enrolled in PACE Organizations.

**LONG NAME:** PTC\_SCORE\_TPL\_MO\_1\_PACE

**TYPE:** NUM

**LENGTH:** 7.4

**SOURCE:** CMS risk adjustment file

**VALUES:** Values between 00.0010 and 99.9990  
Null/missing =Not applicable (this model was not run for the beneficiary)

**COMMENT:** Applicable to payments starting in 2020.

[^ Back to TOC ^](#)

### PTC\_SCORE\_TPL\_MO\_2\_3

**LABEL:** Part C Transplant — Month 2–3 Model Score

**DESCRIPTION:** Part C transplant factor two to three months.

**LONG NAME:** PTC\_SCORE\_TPL\_MO\_2\_3

**TYPE:** NUM

**LENGTH:** 7.4

**SOURCE:** CMS risk adjustment file

**VALUES:** Values between 00.0010 and 99.9990  
Null/missing =Not applicable (this model was not run for the beneficiary)

**COMMENT:** –

[^ Back to TOC ^](#)

### **PTC\_SCORE\_TPL\_MO\_2\_3\_PACE**

**LABEL:** Part C Transplant — Month 2–3 Model Score for PACE Organizations

**DESCRIPTION:** Part C transplant factor two to three months for beneficiaries enrolled in PACE Organizations.

**LONG NAME:** PTC\_SCORE\_TPL\_MO\_2\_3\_PACE

**TYPE:** NUM

**LENGTH:** 7.4

**SOURCE:** CMS risk adjustment file

**VALUES:** Values between 00.0010 and 99.9990  
Null/missing =Not applicable (this model was not run for the beneficiary)

**COMMENT:** Applicable to payments starting in 2020.

[^ Back to TOC ^](#)

PTD\_MODEL\_SGMT\_CD\_01

PTD\_MODEL\_SGMT\_CD\_07

PTD\_MODEL\_SGMT\_CD\_02

PTD\_MODEL\_SGMT\_CD\_08

PTD\_MODEL\_SGMT\_CD\_03

PTD\_MODEL\_SGMT\_CD\_09

PTD\_MODEL\_SGMT\_CD\_04

PTD\_MODEL\_SGMT\_CD\_10

PTD\_MODEL\_SGMT\_CD\_05

PTD\_MODEL\_SGMT\_CD\_11

PTD\_MODEL\_SGMT\_CD\_06

PTD\_MODEL\_SGMT\_CD\_12

**LABEL:** Monthly Part D Model Segment Code: January–December

**DESCRIPTION:** January through December Part D model segment code. This is the Part D risk score model segment used to calculate the resolved risk score for a given month.

**LONG NAME:**

PTD\_MODEL\_SGMT\_CD\_01  
PTD\_MODEL\_SGMT\_CD\_02  
PTD\_MODEL\_SGMT\_CD\_03  
PTD\_MODEL\_SGMT\_CD\_04  
PTD\_MODEL\_SGMT\_CD\_05  
PTD\_MODEL\_SGMT\_CD\_06

PTD\_MODEL\_SGMT\_CD\_07  
PTD\_MODEL\_SGMT\_CD\_08  
PTD\_MODEL\_SGMT\_CD\_09  
PTD\_MODEL\_SGMT\_CD\_10  
PTD\_MODEL\_SGMT\_CD\_11  
PTD\_MODEL\_SGMT\_CD\_12

**TYPE:** CHAR

**LENGTH:** 2

**SOURCE:** CMS risk adjustment file

**VALUES:** D1 = Community non-low income continuing enrollee  
D2 = Community low income continuing enrollee  
D3 = Institutional continuing enrollee  
D4 = New enrollee community non-low income non-ESRD  
D5 = New enrollee community non-low income ESRD  
D6 = New enrollee community low income non-ESRD  
D7 = New enrollee community low income ESRD  
D8 = New enrollee institutional non-ESRD  
D9 = New enrollee institutional ESRD  
P1 = PACE New Enrollee Community Low Income Non-ESRD  
P2 = PACE New Enrollee Community Non-Low Income Non-ESRD  
P3 = PACE New Enrollee Institutional Non-ESRD  
P4 = PACE New Enrollee Institutional ESRD  
P5 = PACE New Enrollee Community Low Income ESRD  
P6 = PACE New Enrollee Community Non-Low Income ESRD  
P7 = PACE Community Non-Low Income Continuing Enrollee  
P8 = PACE Community Low Income Continuing Enrollee

P9 =PACE Institutional Continuing Enrollee  
Null/missing = Beneficiary did not have Medicare Part A Entitlement and did not have Part B Enrollment for the month

**COMMENT:** There are 12 monthly variables — where the 01 through 12 at the end of the variable name correspond with the month (e.g., 01 is January and 12 is December).

The corresponding consolidated risk score used in payment calculation for the month is in the monthly PTD\_RISK\_SCORE\_MM variable (where the 01 through 12 at the end of the variable name correspond with the month).

[^ Back to TOC ^](#)

## PTD\_RISK\_CAT\_CD

<b>LABEL:</b>	Part D Risk Category Score
<b>DESCRIPTION:</b>	Part D risk enrollment category code. This code indicates the enrollment status of the beneficiary during the data collection period and therefore, which risk models are applicable to that beneficiary.
<b>LONG NAME:</b>	PTD_RISK_CAT_CD
<b>TYPE:</b>	CHAR
<b>LENGTH:</b>	1
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	N = Beneficiary has < 12 months Part A and < 12 months Part B, new enrollee Beneficiary with < 12 months Part A C = Beneficiary has 12 months Part B, full-risk beneficiary P = Beneficiary has < 12 months Part B and 12 months Part A, new enrollee beneficiary with 12 months Part A
<b>COMMENT:</b>	The data collection period is the year prior to the payment year (e.g., 2019 for the 2020 payment year).

[^ Back to TOC ^](#)

[PTD\\_RISK\\_SCORE\\_01](#)

[PTD\\_RISK\\_SCORE\\_07](#)

[PTD\\_RISK\\_SCORE\\_02](#)

[PTD\\_RISK\\_SCORE\\_08](#)

[PTD\\_RISK\\_SCORE\\_03](#)

[PTD\\_RISK\\_SCORE\\_09](#)

[PTD\\_RISK\\_SCORE\\_04](#)

[PTD\\_RISK\\_SCORE\\_10](#)

[PTD\\_RISK\\_SCORE\\_05](#)

[PTD\\_RISK\\_SCORE\\_11](#)

[PTD\\_RISK\\_SCORE\\_06](#)

[PTD\\_RISK\\_SCORE\\_12](#)

**LABEL:** Monthly Part D Resolved Risk Score: January–December

**DESCRIPTION:** January through December Part D risk score. This field contains the consolidated risk score used in payment calculation for that month.

**LONG NAME:**

PTD\_RISK\_SCORE\_01  
PTD\_RISK\_SCORE\_02  
PTD\_RISK\_SCORE\_03  
PTD\_RISK\_SCORE\_04  
PTD\_RISK\_SCORE\_05  
PTD\_RISK\_SCORE\_06

PTD\_RISK\_SCORE\_07  
PTD\_RISK\_SCORE\_08  
PTD\_RISK\_SCORE\_09  
PTD\_RISK\_SCORE\_10  
PTD\_RISK\_SCORE\_11  
PTD\_RISK\_SCORE\_12

**TYPE:** NUM

**LENGTH:** 7.4

**SOURCE:** CMS risk adjustment file

**VALUES:** Values between 00.0010 and 99.9990  
Null/missing = Beneficiary did not have Medicare Part A Entitlement and did not have Part B Enrollment for the month

**COMMENT:** There are 12 monthly variables — where the 01 through 12 at the end of the variable name correspond with the month (e.g., 01 is January and 12 is December).

The Part D risk score model segment used to calculate the resolved risk score for a given month is identified using the corresponding monthly model segment code variable (PTD\_MODEL\_SGMT\_CD\_MM).

[^ Back to TOC ^](#)

## PTD\_SCORE\_CE\_COM\_LI

<b>LABEL:</b>	Part D Community, Low Income Continuing Enrollee Model Score
<b>DESCRIPTION:</b>	Part D community, low-income continuing enrollee factor.
<b>LONG NAME:</b>	PTD_SCORE_CE_COM_LI
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part D risk category indicator (PTD_RISK_CAT_CD) equals C or P (12 months of Part A Entitlement and/or 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTD\_SCORE\_CE\_COM\_LI\_PACE

<b>LABEL:</b>	Part D Community, Low Income Continuing Enrollee Model Score for PACE Orgs
<b>DESCRIPTION:</b>	Part D community, low-income continuing enrollee factor for beneficiaries enrolled in PACE Organizations.
<b>LONG NAME:</b>	PTD_SCORE_CE_COM_LI_PACE
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part D risk category indicator (PTD_RISK_CAT_CD) equals C or P (12 months of Part A Entitlement and/or 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTD\_SCORE\_CE\_COM\_NON\_LI

<b>LABEL:</b>	Part D Community, Non-Low Income Continuing Enrollee Model Score
<b>DESCRIPTION:</b>	Part D community, non-low-income continuing enrollee factor.
<b>LONG NAME:</b>	PTD_SCORE_CE_COM_NON_LI
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part D risk category indicator (PTD_RISK_CAT_CD) equals C or P (12 months of Part A Entitlement and/or 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTD\_SCORE\_CE\_COM\_NON\_LI\_PACE

<b>LABEL:</b>	Part D Community, Non-Low Income Continuing Enrollee Model Score for PACE Orgs
<b>DESCRIPTION:</b>	Part D community, non-low-income continuing enrollee factor for beneficiaries enrolled in PACE Organizations.
<b>LONG NAME:</b>	PTD_SCORE_CE_COM_NON_LI_PACE
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part D risk category indicator (PTD_RISK_CAT_CD) equals C or P (12 months of Part A Entitlement and/or 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTD\_SCORE\_CE\_INSTNL

<b>LABEL:</b>	Part D Institutional Continuing Enrollee Model Score
<b>DESCRIPTION:</b>	Part D institutional continuing enrollee factor.
<b>LONG NAME:</b>	PTD_SCORE_CE_INSTNL
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part D risk category indicator (PTD_RISK_CAT_CD) equals C or P (12 months of Part A Entitlement and/or 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTD\_SCORE\_CE\_INSTNL\_PACE

**LABEL:** Part D Institutional Continuing Enrollee Model Score for PACE Organizations

**DESCRIPTION:** Part D institutional continuing enrollee factor for beneficiaries enrolled in PACE Organizations.

**LONG NAME:** PTD\_SCORE\_CE\_INSTNL\_PACE

**TYPE:** NUM

**LENGTH:** 7.4

**SOURCE:** CMS risk adjustment file

**VALUES:** Values between 00.0010 and 99.9990  
Null/missing = Not applicable (this model was not run for the beneficiary)

**COMMENT:** Non-missing when the Part D risk category indicator (PTD\_RISK\_CAT\_CD) equals C or P (12 months of Part A Entitlement and/or 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTD\_SCORE\_NE\_COM\_LI

<b>LABEL:</b>	Part D New Enrollee Community Low Income Non-ESRD Model Score
<b>DESCRIPTION:</b>	Part D new enrollee community low-income factor for non-ESRD beneficiaries.
<b>LONG NAME:</b>	PTD_SCORE_NE_COM_LI
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part D risk category indicator (PTD_RISK_CAT_CD) equals N (less than 12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year) or P (12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTD\_SCORE\_NE\_COM\_LI\_ESRD

<b>LABEL:</b>	Part D New Enrollee Community Low Income ESRD Model Score
<b>DESCRIPTION:</b>	Part D new enrollee community low-income factor for beneficiaries with ESRD.
<b>LONG NAME:</b>	PTD_SCORE_NE_COM_LI_ESRD
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part D risk category indicator (PTD_RISK_CAT_CD) equals N (less than 12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year) or P (12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTD\_SCORE\_NE\_COM\_LI\_ESRD\_PACE

<b>LABEL:</b>	Part D New Enrollee Community Low Income ESRD Model Score for PACE Organizations
<b>DESCRIPTION:</b>	Part D new enrollee community low-income factor for beneficiaries with ESRD enrolled in PACE Organizations.
<b>LONG NAME:</b>	PTD_SCORE_NE_COM_LI_ESRD_PACE
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part D risk category indicator (PTD_RISK_CAT_CD) equals N (less than 12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year) or P (12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTD\_SCORE\_NE\_COM\_LI\_PACE

<b>LABEL:</b>	Part D New Enrollee Community Low Income Non-ESRD Model Score for PACE Orgs
<b>DESCRIPTION:</b>	Part D new enrollee community low-income factor for non-ESRD beneficiaries enrolled in PACE Organizations.
<b>LONG NAME:</b>	PTD_SCORE_NE_COM_LI_PACE
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part D risk category indicator (PTD_RISK_CAT_CD) equals N (less than 12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year) or P (12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTD\_SCORE\_NE\_COM\_NON\_LI

<b>LABEL:</b>	Part D New Enrollee Community Non-Low Income Non-ESRD Model Score
<b>DESCRIPTION:</b>	Part D new enrollee community non-low income factor for non-ESRD beneficiaries.
<b>LONG NAME:</b>	PTD_SCORE_NE_COM_NON_LI
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part D risk category indicator (PTD_RISK_CAT_CD) equals N (less than 12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year) or P (12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTD\_SCORE\_NE\_COM\_NON\_LI\_ESRD

<b>LABEL:</b>	Part D New Enrollee Community Non-Low Income ESRD Model Score
<b>DESCRIPTION:</b>	Part D new enrollee community non-low income factor for beneficiaries with ESRD.
<b>LONG NAME:</b>	PTD_SCORE_NE_COM_NON_LI_ESRD
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part D risk category indicator (PTD_RISK_CAT_CD) equals N (less than 12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year) or P (12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTD\_SCORE\_NE\_COM\_NON\_LI\_ESRD\_PAC

<b>LABEL:</b>	Part D New Enrollee Community Non-Low Income ESRD Model Score for PACE Orgs
<b>DESCRIPTION:</b>	Part D new enrollee community non-low income factor for beneficiaries with ESRD enrolled in PACE Organizations.
<b>LONG NAME:</b>	PTD_SCORE_NE_COM_NON_LI_ESRD_PAC
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part D risk category indicator (PTD_RISK_CAT_CD) equals N (less than 12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year) or P (12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTD\_SCORE\_NE\_COM\_NON\_LI\_PACE

<b>LABEL:</b>	Part D New Enrollee Community Non-Low Income Non-ESRD Model Score for PACE Orgs
<b>DESCRIPTION:</b>	Part D new enrollee community non-low income factor for non-ESRD beneficiaries enrolled in PACE Organizations.
<b>LONG NAME:</b>	PTD_SCORE_NE_COM_NON_LI_PACE
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part D risk category indicator (PTD_RISK_CAT_CD) equals N (less than 12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year) or P (12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTD\_SCORE\_NE\_INSTNL

<b>LABEL:</b>	Part D New Enrollee Institutional Non-ESRD Model Score
<b>DESCRIPTION:</b>	Part D new enrollee institutional factor for non-ESRD beneficiaries.
<b>LONG NAME:</b>	PTD_SCORE_NE_INSTNL
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part D risk category indicator (PTD_RISK_CAT_CD) equals N (less than 12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year) or P (12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTD\_SCORE\_NE\_INSTNL\_ESRD

<b>LABEL:</b>	Part D New Enrollee Institutional ESRD Model Score
<b>DESCRIPTION:</b>	Part D new enrollee institutional factor for beneficiaries with ESRD.
<b>LONG NAME:</b>	PTD_SCORE_NE_INSTNL_ESRD
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part D risk category indicator (PTD_RISK_CAT_CD) equals N (less than 12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year) or P (12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTD\_SCORE\_NE\_INSTNL\_ESRD\_PACE

<b>LABEL:</b>	Part D New Enrollee Institutional ESRD Model Score for PACE Organizations
<b>DESCRIPTION:</b>	Part D new enrollee institutional factor for beneficiaries with ESRD enrolled in PACE Organizations.
<b>LONG NAME:</b>	PTD_SCORE_NE_INSTNL_ESRD_PACE
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part D risk category indicator (PTD_RISK_CAT_CD) equals N (less than 12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year) or P (12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## PTD\_SCORE\_NE\_INSTNL\_PACE

<b>LABEL:</b>	Part D New Enrollee Institutional Non-ESRD Model Score for PACE Organizations
<b>DESCRIPTION:</b>	Part D new enrollee institutional factor for non-ESRD beneficiaries enrolled in PACE Organizations.
<b>LONG NAME:</b>	PTD_SCORE_NE_INSTNL_PACE
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	7.4
<b>SOURCE:</b>	CMS risk adjustment file
<b>VALUES:</b>	Values between 00.0010 and 99.9990 Null/missing = Not applicable (this model was not run for the beneficiary)
<b>COMMENT:</b>	Non-missing when the Part D risk category indicator (PTD_RISK_CAT_CD) equals N (less than 12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year) or P (12 months of Part A Entitlement and less than 12 months of Part B Enrollment during the data collection year).

[^ Back to TOC ^](#)

## RFRNC\_YR

<b>LABEL:</b>	Reference (Payment) Year
<b>DESCRIPTION:</b>	Reference (payment) year for the data file.
<b>LONG NAME:</b>	RFRNC_YR
<b>TYPE:</b>	NUM
<b>LENGTH:</b>	8
<b>SOURCE:</b>	CCW (derived)
<b>VALUES:</b>	2019+
<b>COMMENT:</b>	Beneficiary-level scores apply for a payment year.

The risk adjustment models use a prospective, rather than a concurrent model. That means that information from the year prior to the payment year (or prediction year) is used to identify the Hierarchical Condition Categories (HCC), where applicable.

[^ Back to TOC ^](#)